

Halton DFB-C 方形散流器



概览 Overview

- 适用于水平送风或者排风

Suitable for horizontal air supply and exhaust

- 前端锥形叶片模块可拆卸，方便散流器和风管清洁。

Openable front cone module enables cleaning of the diffuser and ductwork.

- 面部尺寸可以定制，增加盲板结构以满足吊顶天花要求。

Face size can be customized, add blind plate structure to support ceiling size requirements.



- 表面处理：粉末喷涂

Surface treatment: Powder painting

- 可选附件:过滤网/铝制调节阀/静压箱

Optional accessories: polyester filter/aluminum adjustment damper/Plenum

尺寸Dimensions



规格Size	W	W1	可选静压箱Plenum option	静压箱进风口 Plenum inlet size
300×300	295	175	(W1+60) x (W1+60) x 300	Φ100
350×350	345	225	(W1+60) x (W1+60) x 300	Φ150
400×400	395	275	(W1+60) x (W1+60) x 300	Φ150
450×450	445	325	(W1+60) x (W1+60) x 300	Φ200
500×500	495	375	(W1+60) x (W1+60) x 300	Φ200
550×550	545	425	(W1+60) x (W1+60) x 300	Φ250
600×600	595	475	(W1+60) x (W1+60) x 300	Φ300

安装Installation

确保安装孔尺寸大于等于(W-25) x (W-25), 与静压箱相连使用可固定方式, 清洁是拆卸锥形模块。

Ensure the installation hole size not less than(W-25) x (W-25). Plenum and grill connection is fixed.

To remove cone module for maintenance.